

PCN / EOL Notification

_	/TEA	IDED I	ACT	T10 4E	D1111
	(I F N	IDED I	1 A S I		KIIV
	\ I L I '	ULD		IIIVIL	201

Product Change Notification Number: PDF011 Notification Date: October 31, 2013

Title: 4-Mbit Da	ataFlash® (AT45DB041D) Process Ge	ometry Shrink and Device	Enhancement	
Product Identi				
All wafer and pa	ackage options of the Industrial Tempe	erature grade (-40°C to +85	5°C) AT45DB041D	
Reason for Change:	☐ Material / Composition	Design / Firmware	✓ Manufacturing Location✓ Quality/Reliability	
	□ Processing / Manufacturing	☐ Logistics		
Change Desc	•			
DataFlash®. TAT45DB041D	erformed a process geometry shrink an The Last Time Buy Date has been exterall will be replaced by AT45DB041E (see ly backward compatible with the currer s.	nded to April 18, 2014.The Table 1). The new AT45I	e catalog part number DB041E devices are pin-to-pin	
Extended-VC0	C Operation			
	esigned the AT45DB041E devices to operations on the D series devices.	perate over a 1.65V to 3.6V	√ range versus the previous 2.5V	
"Power of 2"binary page size option The "power of 2" binary page size option can still be ordered as a factory-configured option. However, the catalog part number suffixes of SL954 and SL955 for the factory-configured option will no longer be used. The new Binary Page Mode option will be defined by the ordering code suffix '2B' incorporated into the base part number. As part of this part number change, Binary Page mode options will be limited to T&R orders only. Please refer to Table 1 for the new catalog part number for the factory-programmed "power of 2" binary page mode option.				
Migration to a 5-byte Manufacturer and Device ID The length of the complete Manufacturer and Device ID string has been extended from 4 bytes to 5 bytes to provide space for additional device information. The ID methodology still complies with the JEDEC standard and now utilizes the Extended Device Information (EDI) field. The Manufacturer and Device ID string changes as follows: AT45DB041D: 1Fh + 24h + 00h + 00h AT45DB041E: 1Fh + 24h + 00h + 01h + 00h				
Lead Finish The lead finish	n has been changed from Matte Sn to N	NiPdAu.		

Identification Method:

New catalog part numbers use an "E" suffix for the device revision (AT45DB041D changes to 45DB041E).

Table 1:

EOL Part Number	Replacement Part Number	Carrier Type	
AT45DB041D-MU	AT45DB041E-MHN-Y	Y for Tray	
A 143DB041D-WO	AT45DB041E-MHN-T	T for T/R	
AT45DB041D-MU-2.5	AT45DB041E-MHN-Y	Y for Tray	
A143DB041D-W0-2.3	AT45DB041E-MHN-T	T for T/R	
AT45DB041D-MU SL954	——AT45DB041E-MHN2B-T	Only T/R offered	
AT45DB041D-MU SL955	A 143DB041E-IVININZB-1	Only 1/K offered	
AT45DB041D-SSU	AT45DB041E-SSHN-B	B for Bulk	
A 145DB041D-330	AT45DB041E-SSHN-T	T for T/R	
AT45DB041D-SSU-2.5	AT45DB041E-SSHN-B	B for Bulk	
A 145DB041D-330-2.5	AT45DB041E-SSHN-T	T for T/R	
AT45DB041D-SSU SL954	AT45DB041E-SSHN2B-T	Only T/D offered	
AT45DB041D-SSU SL955	A 143DB041E-33HN2B-1	Only T/R offered	
AT45DB041D-SU	AT45DB041E-SHN-B*	B for Bulk	
A 143DB041D-30	AT45DB041E-SHN-T* T for T/R		
ATAEDDOA1D CLL 3 E	AT45DB041E-SHN-B*	B for Bulk	
AT45DB041D-SU-2.5	AT45DB041E-SHN-T*	T for T/R	
AT45DB041D-SU SL954	—AT45DB041E-SHN2B-T*	Only T/D offered	
AT45DB041D-SU SL955	M143DD041E-3UNZB-1	Only T/R offered	
AT45DB041D-DWF	AT45DB041E-DWF	Whole Wafer, No Back Grind	

Notes:

Samples:	\boxtimes	Available	☐ Will be available (mm/dd/yr):	☐ Not Applicable
Quantifiable Impact on Quality & Reliability:				

None

Forecasted Availability Date (AT45DB041E): Now Last Time Buy Date (AT45DB041D): April 18, 2014 Last Ship Date (AT45DB041D): October 17, 2014

Adesto Contact: PCNsupport@adestotech.com

^{*} Narrow Body SOIC Package (SSHN) is recommended for new designs.

^{*}All orders placed after the notification date are non-cancellable and non-returnable (NCNR).

Information provided here in is in connection with Adesto product sand this information is provided "AS IS". Adesto assumes no responsibility for any errors that may appear in this document. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document. Except as provided in Adesto's Terms and Conditions of Sale for such products, Adesto assumes no liability whatsoever, and Adesto disclaims any express or implied warranty, including liability or warranties relating to fitness for a particular purpose, merchantability, or non-infringement of any patent, copyright or other intellectual property right. Adesto products are not intended for use in a product or system intended to support or sustain life which, if it fails, can be reasonably expected to result in significant personal injury. Adesto may make changes to specifications and product descriptions at any time, without notice.

Attention Distributors: Product(s) identified in this notification will become obsolete and as such this EOL notification will act as the official written notification. All obsolete products will be listed in the next published quarterly distributor price book, following a PCN/EOL change, and listed on the obsolescence form which accompanies said price book. Within thirty (30) days from the published date of the price book, Distributor shall notify Adesto in writing of Distributor's then current inventory of the obsolete product.

EOL. Please complete and email to the Adesto Contact listed above. In your acknowledgement, you can grant approval or request additional information. Adesto will deem this change accepted unless specific conditions of acceptance are provided in writing within 30 days from the date of this notice.				
Company:				
Name:				
Title:				
Date:				
Email Address:				
Location:				
Comments:				

©2013 Adesto Technologies Corporation. All rights reserved.

Adesto®, the Adesto logo, CBRAM®, and DataFlash®are registered trademarks or trademarks of Adesto Technologies. All other marks are the property of their respective owners.